

SUPPLEMENT TO

The Gazette



of India

No. 40] NEW DELHI, SATURDAY, OCTOBER 19, 1957/ASVINA 27, 1879

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st September, 1957

CHOLERA								CHOLERA							
SMALLPOX								SMALLPOX							
PLAGUE								PLAGUE							
C. D. C. D. C. D.								C. D. C. D. C. D.							
Andhra Pradesh								Bihar							
Srikakulam	4	I	Patna	48	15
Visakhapatnam	I	Shahbad	47	32	3	I	..
East Godavari	..	26	..	9	I	Muzaffarpur	5	I
West Godavari	..	9	6	5	I	Monghyr	257	68
Krishna	8	4	Bhagalpur	77	25
Guntur	2	Hazaribagh	24	16
Nellore	6	3	10	3	..	Palamau	32	14
Kurnool	20	10	13	4	..	TOTAL	490	171	3	I	..
Cuddapah	10	2	..	Total for w/e 14-9-57	1,026	439	25	11
Anantapur	14	5	..	Total for w/e 7-9-57	929	302	2
Chittoor	15	2	..	Bombay							
Warrangal	8	3	Greater Bombay	7	2
Adilabad	12	6	Ahemdabad	I	I	..
Nizamabad	3	5	Amreli	3	I	..
Medak	5	6	4	Surat
Hyderabad	3	Ahemdnagar	2
TOTAL	..	89	39	98	23	East Khandesh	5	I
Total for w/e 14-9-57	91	46	91	23	Kolhapur	4	2
Total for w/e 7-9-57	94	42	99	16	Nasik	7	I
Assam								Poona	17	4
Kamrup	3	3	..	North Satara	6	I
TOTAL	3	3	..	South Satara	8	2
Total for w/e 14-9-57	I	I	..	Sholapur	6	4
Total for w/e 7-9-57	Thana	5
								Akola	4	I

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st September, 1957—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Bombay—contd.								Madras							
Amravati	.	60	14	Madras City	.	247	41	41	10
Buldhana	.	50	18	Chingleput	.	77	22	3	3
Chanda	.	7	2	20	1	South Arcot	34	7
Nagpur	.	254	81	Tiruchirappalli	.	3	2	8	1
Wardha	.	9	4	Tanjore	7	2
Aurangabad	.	31	8	Madurai	42	6
Bhir	.	1	Ramanathapuram	11	4
Parbhani	.	25	5	Tirunelveli	.	23	20	14	3
West Khandesh	2	North Arcot	2
TOTAL	.	500	150	33	5	Salem]	38	14
Total for w/e 14-9-57		515	164	20	3	Coimbatore	12	6
Total for w/e 7-9-57		580	174	23	12	Nilgiris	3
Delhi								Kanya Kumari	2	2
"N.R."								TOTAL	.	350	85	217	38
TOTAL	Total for w/e 14-9-57		203	62	349	88
Total for w/e 14-9-57		1	Total for w/e 7-9-57		196	81	141	47
Total for w/e 7-9-57		1	1								
Himachal Pradesh								Manipur							
"N.R."								TOTAL
TOTAL	Total for w/e 14-9-57	
Total for w/e 14-9-57		Total for w/e 7-9-57	
Total for w/e 7-9-57									
Kerala								Mysore							
Trivandrum	2	"N.R."							
Quilon	1	TOTAL
Malabar	6	Total for w/e 14-9-57		117	41	48	7
TOTAL	7	2	Total for w/e 7-9-57	
Total for w/e 14-9-57									
Total for w/e 7-9-57		31	4								
Madhya Pradesh								Orissa							
"N. R."								Cuttack	.	9	7
TOTAL	Puri	.	11	5	3	1
Total for w/e 14-9-57		Sambalpur	.	20	2
Total for w/e 7-9-57		Bandh	2	1
								Ganjam	97	28

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st September, 1957—concl'd.

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.									
Mysore																Mysore—contd.																															
For w/e 14-9-57																Belgaum																															
Bangalore	22	5									42	9																									
Chitaldrug	17	2									TOTAL	.	117	41	48	7																							
																POLIO MYELITIS																															
																(Information based on patients treated in hospitals in important towns)																															
Kolar	3									Place	Period	Cases				Deaths																								
Mandya	4																																							
Bellary	2																																							
																Fortnight ending																															
Bidar	.	.	29	14									Punjab	15-9-57	9				—				Paretie																				
Gulberga	.	.	14	8									—do—	31-7-57	2				—				—do—																				
Raichur	.	.	32	10									—do—	31-8-57	1				—				—do—																				

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA);

The 14th September, 1957.

H. R. SHARMA,

for Registrar General, India.

Prosper with the 'NATION'

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh				"N.R."											
Assam				"N.R."											
Bihar				"N.R."											
Bombay															
Ahmedabad . . .	915	792	45.1	..	1	..	66	17	87	..	429	24.4	162		
Ahmednagar . . .	90	94	54.3	1	1	4	..	28	16.2	9		
Amalner . . .	51	39	39.8	9	22	22.4	3		
Baroda . . .	250	259	53.9	22	6	18	..	104	21.6	33		
Barsi . . .	47	21	23.2	7	..	2	1	24	26.6	6		
Bhusawal . . .	65	30	24.0	1	4	..	1	..	8	6.4	..		
Broach† . . .															
Cambay . . .	42	37	45.8	1	1	..	8	9.9	..		
Chalisgaon . . .	36	23	33.2	2	..	1	..	6	8.7	..		
Dhulia . . .	92	57	32.2	6	1	3	..	14	7.9	4		
Godra . . .	41	53	67.2	7	1	2	..	16	20.3	6		
Greater Bombay . . .	3,590	1,500	21.7	..	2	..	2	59	127	2	822	11.9	221		
Jalgaon . . .	82	21	13.3	3	..	2	..	18	11.4	2		
Kalyan . . .	76	46	31.5	2	2	2	..	12	8.2	4		
Kolhapur . . .	164	110	34.9	3	2	7	..	48	15.2	8		
Malegaon† . . .															
Miraj . . .	45	36	41.6	2	..	16	18.5	..		
Nadiad . . .	73	48	34.2	11	2	4	..	25	17.8	..		
Surrendranagar . . .	44	24	28.4	5	5	5.9	..		
Parbhani . . .	41	5	6.3	2	1	4	5.1	..		
Dhosa† . . .	48	20	21.7	8	..	2	..	12	13.0	5		
Porbander . . .	66	42	33.1	24	5	1	..	39	30.7	6		
Yeotmal . . .	42	37	45.8	6	2	17	21.0	..		
Morvi . . .	43	19	23.0	5	5	6.0	1		
Hinganghat† . . .															
Nagpur . . .	36	38	54.9	7	2	..	1	10	14.4	2		
Gondia . . .	546	658	62.7	8	2	..	54	30	27	2	350	33.3	110		
	47	47	52.0	10	1	..	2	16	17.7	3		
Arungabad . . .	76	9	6.2	1	..	1	..	3	2.1	..		
Veraval . . .	47	14	15.5	4	..	1	..	13	14.4	3		
Nanded . . .	84	27	16.7	2	2	1	..	12	7.4	..		
Kamptee . . .	37	24	33.7	1	3	3	..	11	15.4	2		
Bhavnagar . . .	158	61	20.1	11	2	7	1	40	13.2	11		
Khamgaon . . .	44	34	40.2	6	..	1	..	12	14.2	2		
Nandurbar†															
Nasik . . .	124	69	28.9	7	5	7	..	39	16.4	10		
Navasari . . .	51	38	38.7	6	12	12.2	2		
Pandharpur . . .	45	36	41.6	4	4	4	..	22	25.4	12		
Patan . . .	48	55	59.6	1	3	4	..	18	19.5	3		
Poona . . .	634	401	32.9	5	21	1	109	8.9	42		
Sangli . . .	60	53	45.9	1	1	..	13	11.3	..		
Satara . . .	41	35	44.4	..	1	..	1	1	5	..	18	22.8	3		
Sholapur . . .	308	280	47.3	13	14	47	..	146	24.6	29		
Surat . . .	257	212	42.9	16	..	12	1	104	21.0	24		
Thana . . .	64	55	44.7	1	..	2	..	12	9.8	1		
TOTAL . . .	8,650	5,459	32.8	9	6	..	340	172	410	12	2,642	15.9	729		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fever ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Delhi				"N.R."										
Kerala				"N.R."										
Madhya Pradesh				"N.R."										
Madras														
Ambur . . .	46	22	24.9	3	..	5	5.7	2	
Aruppukottai . .	58	34	30.5	2	4	1	..	19	17.0	7	
Bodinayakanpur .														
Nagercoil . . .	97	27	14.5	..	1	..	2	1	1	..	13	7.0	2	
Chidambaram . .	41	29	36.8	8	10.1	2	
Coimbatore . . .	242	199	42.8	..	1	..	6	17	14	2	108	23.2	29	
Cuddalore . . .	75	69	47.8	..	1	..	1	..	4	2	24	16.6	1	
Dindigul†														
Erode . . .	70	73	54.2	2	..	1	..	16	11.9	6	
Gobichetty Palyan .	40	10	13.0	1	3	3.9	1	
Guddiyattam . .	54	33	31.8	1	1	1	1	12	11.6	1	
Kancheepuram . .	92	73	41.3	5	19	1	41	23.2	13	
Karaiikudi . . .	45	27	31.2	..	3	..	1	..	2	..	9	10.4	2	
Karur . . .	52	37	37.0	1	..	1	..	6	6.0	..	
Kumbakonam . .	108	66	31.8	2	1	2	..	21	10.1	3	
Madras . . .	1,770	1,294	38.0	44	13	..	110	104	201	2	816	24.0	225	
Mathurai . . .	443	313	36.7	..	2	..	15	14	19	..	162	19.0	40	
Mayuram . . .	51	51	52.0	1	..	2	..	19	19.4	3	
Malapallyam . . .	42	6	7.4	2	1	11	13.6	3	
Nagapattinam . .	61	64	54.6	5	2	1	..	22	18.8	6	
Ootacamund . . .	49	32	34.0	..	1	5	..	10	10.6	4	
Palni . . .	41	26	33.0	3	..	13	16.5	4	
Palayamkottai†														
Periyakulam . .	34	22	33.6	1	2	..	8	12.2	1	
Pollachi . . .	53	44	43.2	..	2	2	23	22.6	8	
Pudukottai . . .	51	37	37.7	2	..	13	13.3	3	
Rajapalayam . .	71	25	18.3	3	3	4	..	16	11.7	1	
Salem†														
Srirangam . . .	43	34	41.1	1	12	14.5	2	
Srivilliputtur . .	44	36	42.5	2	3	1	..	13	15.4	5	
Tanjore . . .	122	66	28.1	..	1	..	2	3	3	2	40	17.0	12	
Tiruvannamalai . .	46	28	31.7	2	3	1	20	22.6	4	
Tirunelveli . . .	82	55	34.9	1	3	3	..	26	16.5	8	
Tiruppur . . .	65	44	35.2	1	..	12	9.6	4	
Tiruchirappalli .	258	216	43.5	4	4	6	1	60	12.1	10	
Tuticorin . . .	114	81	36.9	1	3	6	..	24	10.9	8	
Vaniyambadi . .	44	23	27.2	1	1	1	..	7	8.3	..	
Vellore . . .	129	106	42.7	1	3	11	..	53	21.4	8	
Villupuram . . .	40	27	35.1	1	1	..	8	10.4	3	
Virudunagar . .	54	61	58.7	2	11	10.6	1	
TOTAL	4,727	3,390	37.3	45	25	..	167	181	324	12	1,684	18.5	432	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile deaths (included in total deaths) ; ..—Nil Information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.	Deaths from :—									Total	D.R.	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Mysore															
Bangalore	1,023	466	23.7	..	3	..	11	67	127	.	367	18.7	..		
Mysore	306	145	24.6	22	9	9	..	74	12.6	..		
Kolar Gold Fields	176	49	14.5	4	1	..	26	7.7	..		
Bellary	80	32	20.8	..	1	..	3	4	2	..	31	20.1	..		
Davangere	72	36	26.0	3	1	23	16.6	..		
Hospet	47	18	19.9	1	1	7	7.7	..		
Tumkur	45	14	16.2	4	4	4.6	..		
Chitaldrug	32	14	22.8	3	4.9	..		
Belgaum	113	55	25.3	9	3	3	1	37	17.0	..		
Mangalore	141	135	49.7	2	2	1	..	43	15.9	..		
Bagalkot	37	34	47.8	6	.	2	..	10	14.1	..		
TOTAL	2,072	998	25.0	..	4	..	61	91	145	1	625	15.7	..		
Orissa "N.R."															
Pondicherry "N. R."															
Panjab															
Ambala	67	70	54.3	4	..	1	.	15	11.6	4		
Amritsar	351	276	40.9	5	17	1	77	11.4	27		
Batala	64	52	42.3	10	1	4	..	17	13.8	6		
Bhatinda	40	54	70.2	3	..	1	..	5	6.5	..		
Bhiwani	58	79	70.8	6	..	3	..	20	17.9	10		
Ferozepore	46	32	36.2	1	..	3	..	5	5.7	3		
Hissar	40	38	49.4	6	..	1	..	8	10.4	2		
Hoshiarpur	52	34	34.0	5	10	10.0	..		
Jullundur	207	147	36.9	7	4	9	..	29	7.3	8		
Karnal	74	49	34.4	3	..	1	..	9	6.3	..		
Ludhiana	182	174	49.7	4	2	2	..	27	7.7	9		
Moga	42	42	52.0	2	..	2	..	7	8.7	3		
Panipat	66	48	37.8	11	3	21	16.5	12		
Meerakotla	35	44	65.4	5	5	7.4	..		
Pathankot	36	32	46.2	2	1	3	4.3	..		
Rewari	37	42	59.0	1	1	1	..	7	9.8	2		
Rohtak	110	85	40.2	2	2	2	..	17	8.0	9		
Patiala	115	88	39.8	14	2	4	1	36	16.3	12		
Simla	51	25	25.5	1	..	2	2.0	1		
Sonipat	35	46	68.3	9	..	2	..	16	23.8	6		
TOTAL	1,708	1,457	44.4	95	21	54	2	336	10.2	114		
Rajasthan "N. R."															
Uttar Pradesh															
Agra	385	500	67.5	7	20	..	56	7.6	16		
Allahabad	358	180	26.1	3	5	25	..	77	11.2	12		
Amroha	61	80	68.2	6	..	2	..	24	20.5	9		
Bahraich	48	15	16.3	2	5	5.4	3		
Banaras	394	430	56.8	52	22	13	..	272	35.9	55		
Balliat															

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957—*contd.*

Town	Deaths from :—														
	Midyear	Popn. Est. (000)	B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.	
	Popn.														
Uttar Pradesh— <i>contd.</i>															
Banda†															
Bareilly	206	89	22.5	6	..	12	..	30	7.5	6		
Budaun	54	45	43.3	4	..	6	..	21	20.2	7		
Basti†															
Bulandshahr	43	9	10.9	5	5	6.0	..		
Chandauli	42	50	61.9	7	..	1	..	14	17.3	9		
Dehra Dun	153	60	20.4	1	..	1	..	10	3.4	1		
Etawah†															
Fazlbad-Ayodhya†															
Farrukhabad-Fatehgarh	84	53	32.8	1	6	3	4	..	20	12.4	6		
Perozabad	82	51	32.3	1	..	2	1	10	6.3	3		
Gazlbad	48	44	47.7	3	7	7.6	2		
Gazipur	37	23	32.3	5	1	1	..	12	16.9	1		
Gorakhpur	143	88	32.0	9	2	2	..	22	8.0	1		
Gonda	35	18	26.7	2	..	1	3	4.5	..		
Hapur†															
Hardwar	67	41	31.8	6	3	3	..	25	19.4	11		
Hathras	64	77	62.6	9	4	25	20.3	7		
Jaunpur†															
Jhansi	119	74	32.3	23	40	17.5	11		
Kanpur	757	391	26.9	116	19	36	2	299	20.5	78		
Kasganj†															
Khurja	41	40	50.7	6	1	9	11.4	1		
Koili-Aligarh	154	105	35.5	12	2	6	..	29	9.8	9		
Lucknow	506	362	37.2	13	4	11	1	131	13.5	29		
Mathura	114	117	53.4	8	3	5	..	25	11.4	4		
Mau-Nath Bhanjant															
Meerut	191	144	39.2	7	2	8	..	24	6.5	8		
Mirzapur Vindhyachal	99	68	35.7	11	2	2	..	27	14.2	9		
Moradabad	167	165	51.4	10	1	8	..	35	10.9	14		
Muzaffarnagar	75	45	31.2	9	1	3	..	17	11.8	4		
Pilibhit	45	40	46.2	7	1	12	13.9	2		
Rampur†															
Saharanpur	167	132	41.1	18	5	2	..	31	9.7	9		
Sambhal	66	48	37.8	11	5	1	..	23	18.1	6		
Shahjahanpur															
Sitapur	51	17	17.3	3	1	6	6.1	1		
TOTAL	4,856	3,601	38.6	1	379	96	174	5	1,346	14.4	334		

West Bengal

"N.R."

ARREAR RETURNS**Kerala**

For w/e 7-9-57

Trivandrum†	226	126	29.0	4	6	8	..	29	6.7	6
Quilon	77	101	68.2	1	3	2.0	..
Alleppey	155	134	45.0	3	3	2	..	39	13.1	5
Mattancherry	87	33	19.7	1	2	..	8	4.8	1
Ernakulam	72	56	40.4	3	4	2	..	15	10.8	3
Trichur	78	25	16.7	1	..	4	..	13	8.7	3
Kozhikode	181	106	30.4	1	..	4	..	42	12.1	8
Palaghat	79	29	19.1	3	..	2	..	18	11.9	4
Cannanore	48	16	17.3	2	..	6	6.5	1
Tellicherry	43	21	25.4	1	2	1	..	10	21.8	1
TOTAL	1,046	647	32.2	17	16	27	..	191	9.5	32

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. —Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957—concl'd.

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D	R.D	M.D.			
Madhya Pradesh		For w/e 27-7-57											
Greater Gwalior	281	274	50.7	..	2	..	8	27	5.0	..
Ratlam	76	32	21.9	3	1	3	..	16	10.9	1
Khandwa	61	27	23.0	6	17	14.5	..
Burhanpur	81	43	27.6	18	5	8	..	74	47.5	..
Bilaspur	40	36	46.8	9	..	4	..	24	31.2	2
Mandsaur	42	3	3.7
Itarsi	32	25	40.6	6	9	14.6	..
Chhindwara	32	21	34.1	13	21.1	5
TOTAL	645	461	37.2	..	2	..	50	6	15	..	180	14.5	8
		For w/e 3-8-57											
Greater Gwalior	281	96	17.8	..	1	..	6	2	27	5.0	1
Khandwa	61	23	19.6	8	10	8.5	..
Burhanpur	81	69	44.3	9	6	30	19.3	..
Bilaspur	40	37	48.1	14	25	32.5	..
Ratlam	76	20	13.7	9	..	7	..	20	13.7	..
Mandsaur	42	3	3.7	1	..	1	1.2	..
Itarsi	32	15	24.4	5	8	13.0	2
TOTAL	613	263	22.3	..	1	..	51	8	8	..	121	10.3	3
		For w/e 9-3-57 (Arrear returns)											
Jabalpur	246	111	23.5	12	1	1	..	30	6.3	..
Ratlam	76	28	19.2	..	1	..	8	..	10	..	26	17.1	..
Itarsi	32	8	13.0	1	1	1.6	..
Madhya Pradesh		w/e 16-3-57											
Jabalpur	246	152	32.1	..	3	..	10	..	7	..	33	7.0	..
Ratlam	76	28	19.2	..	1	..	8	..	10	..	26	17.8	..
Itarsi	32	23	37.4	1	4	6.5	..
Delhi		w/e 31-8-57											
Delhi City	1172	810	35.9	50	8	27	1	161	7.1	36
New Delhi	395	411	54.1	2	5	5	..	150	19.7	44
N.A.C. Civil Station, Delhi	125	126	52.4	4	1	3	1	24	10.0	5
Delhi Cantt.	53	10	9.8
Delhi-Shahdara	55	64	60.5	2	..	2	..	6	5.7	..
TOTAL	1,800	1,421	41.1	58	14	37	2	341	9.9	85
Rajasthan		w/e 31-8-57											
Ajmer	230	76	17.2	10	3	6	..	39	8.8	6
Alwar	61	27	23.0	1	..	1	..	4	3.4	2
Beawar	61	12	12.2	14	2	1	..	21	17.9	6
Bikaner	118	100	44.1	..	1	..	2	4	8	..	49	21.6	13
Jaipur	367	143	20.3	39	5	10	2	100	14.2	39
Jodhpur	207	46	11.5	..	1	..	8	5	4	1	28	7.0	5
Tonk	46	6	6.8	2	1	6	..	11	12.4	1
TOTAL	1090	410	19.5	..	2	..	76	20	36	3	252	12.0	72

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	BR.*	Deaths from :—										Total	D.R*, I.D.		
				C.	S.	P.	F.	D.D.	R.D.	M.D.							
Rajasthan contd.																	
For w/e 13-7-57																	
Jaipur	367	65	9.2	37	6	7	3	111	15.7	39				
w/e 3-8-57																	
Do.	367	101	14.3	34	7	7	2	94	13.3	31				
w/e 17-8-57																	
Do.	367	75	10.6	39	7	10	2	107	15.2	46				
w/e 24-8-57																	
Do. }	367	105	14.9	46	10	13	3	122	17.3	49				
Jodhpur	207	33	8.3	7	3	4	..	20	5.0	3				
w/e 20-7-57																	
Jammu	71	36	26.4	11	1	1	..	15	11.0	2				
w/e 27-7-57																	
Do.	71	43	31.4	5	..	1	..	13	9.5	..				
w/e 3-8-57																	
Do.	71	62	45.4	6	2	3	..	17	12.4	2				
w/e 10-8-57																	
Do.	71	48	35.2	3	..	1	..	11	1.1	..				
w/e 17-8-57																	
Do	71	63	46.1	2	2	4	..	11	8.1	1				
w/e 14-9-1957																	
Ajmer	230	94	21.3	16	8	8	..	66	14.9	14				
Alwar	61	39	33.2	4	..	1	..	7	6.0	..				
Beawar	61	29	24.7	15	1	1	..	21	17.9	5				
Bikaner	118	30	13.2	2	..	5	..	13	5.7	1				
Jaipur	367	146	20.7	35	6	7	2	89	12.6	32				
Jodhpur	207	76	19.1	..	2	..	13	7	5	3	53	13.3	10				
Tonk	46	7	7.9	5	..	2	..	9	10.2	..				
Udaipur	110	4	1.9	6	2.8	1				
TOTAL																	
	1200	425	18.4	..	2	..	90	22	29	5	264	11.4	63				
w/e 31-8-57																	
Udaipur	110	3	1.4	1	1	1	..	5	2.4	..				
w/e 7-9-57																	
Do	110	5	2.4	2	0.9	..				

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957—contd.

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from —										D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Andhra Pradesh				For w/e 7-9-1957											
Adoni . . .	66	53	41.8	1	1	1	..	14	11.0	1		
Anantpur . . .	39	10	13.3	1	..	2	1	10	13.3	..		
Anakapalli . . .	47	30	33.2	3	..	3	..	20	22.1	8		
Hydrabad . . .	1102	120	5.7	27	3	16	..	105	5.0	8		
Bhimavaram . . .	37	29	40.8	1	1	8	11.2	1		
Chirala . . .	45	25	79.0	4	1	1	..	10	11.5	3		
Chittoor . . .	46	28	31.7	7	2	1	2	14	15.8	6		
Secunderabad . . .	188	110	30.4	1	3	13	..	48	13.3	13		
Cuddapah . . .	44	31	36.6	3	2	3	..	14	16.5	1		
Eluru . . .	102	31	15.8	2	..	5	..	21	10.7	4		
Gudivada† . . .	37	16	22.5	4	..	2	..	9	12.6	3		
Nizamabad . . .	70	9	6.7	1	2	1.5	2		
Guntur . . .	153	141	47.9	4	1	4	..	45	15.3	9		
Guntakal . . .	39	12	16.0	3	2	1	..	18	24.0	6		
Kakinada . . .	117	42	18.7	2	14	6.2	..		
Warrangal . . .	160	39	12.7	14	22	7.1	..		
Kurnool . . .	70	44	32.7	1	2	2	..	16	11.9	3		
Masulipatnam . . .	91	40	22.9	3	..	3	..	18	10.3	2		
Nandyal . . .	38	25	34.2	2	1	6	8.2	1		
Kothagudiam . . .	76	25	17.1	7	4.8	..		
Nellore . . .	98	107	56.8	1	9	3	1	49	26.0	17		
Proddatur† . . .	126	92	38.0	5	1	1	1	35	14.4	9		
Rajahmundry . . .	70	32	23.8	1	1	8	1	21	15.6	7		
Tenali . . .	210	179	44.3	..	3	..	10	4	7	1	74	18.3	25		
Vijayvada . . .	133	62	24.2	9	6	11	..	48	18.8	8		
Viseakhapatnam . . .	77	43	29.0	3	2	1	..	28	18.9	7		
TOTAL	32,81	13,75	21.8	..	3	..	113	41	88	8	676	10.7	144		
West Bengal				For w/e 17-8-1957											
Asansol . . .	89	4	2.3	2	1.2	..		
Baidyabati . . .	34	12	18.4		
Bally . . .	67	4	3.1	1	4	3.1	..		
Purulea . . .	49	7	7.4	1	3	3.2	..		
Banikura . . .	50	7	7.3	1	1	1.0	1		
Bansberia† . . .															
Baranagar . . .	93	37	20.7	..	1	..	5	2	5	..	24	13.5	12		
Chandernagore . . .	57	46	42.1	3	2	..	18	16.5	3		
Basirhat . . .	40	3	3.9	1	2	2.6	..		
Bernampur . . .	65	51	40.9	..	8	..	3	2	2	..	24	19.3	5		
Bhadreshwar . . .	35	4	6.0	1	3.0	..		
Khraggpur . . .	77	7	4.7	1.4	..		
Bhatpara . . .	145	24	8.6	..	2	..	19	5	3	2	54	19.4	13		
Budge Budge . . .	32	16	26.1	1	1	1.6	..		
Burdwan . . .	84	24	14.9	3	3	1	..	14	8.7	..		
Calcutta . . .	3,060	1,397	23.8	10	1	..	37	100	133	3	699	11.9	207		
Champedani . . .	41	17	21.6	3	3.8	..		
Choch-Behar† . . .															
Darjeeling . . .	39	10	13.4	1	..	7	9.4	..		
English Bazar . . .	37	17	24.0	1	2	2.8	..		
Garden Reach . . .	127	13	5.3	1	4	..	2	..	11	4.5	1		
Halisahar . . .	42	1	1.2	1	1.2	..		
Hoogly-Chinsurah . . .	61	84	71.8	1	7	3	..	17	14.5	3		
Howrah . . .	487	146	15.6	5	2	..	6	17	50	..	135	14.5	52		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
West Bengal—contd.														
Jalpaiguri	50	25	26.1	4	..	2	..	14	14.6	..	
Kamarhati†														
Kanchrapara . . .	78	11	7.4	
Krishnagar	58	
Midnapore	45	30	34.8	2	1	1	..	11	12.7	..	
Nabadwip	73	37	26.4	11	1	1	..	15	10.7	..	
Naihati	64	3	2.4	1	..	1	1	4	3.3	..	
North Barrackpore .	37	4	5.6	
Panihati	68	2	1.5	6	16	12.3	..	
Shantipur	51	14	14.3	6	6.1	1	
Serampore	86	32	19.4	7	6	1	..	28	17.0	8	
Siliguri	46	26	29.5	4	4.5	..	
South Dum Dum . .	87	1	0.6	1	1	0.6	..	
South Suburban†														
Titagarh	79	6	4.0	2	13	4	19	12.5	3	
TOTAL	5,633	2,122	19.6	20	14	..	119	161	208	6	1,144	10.6	309	
For wks 24-8-57														
Asansol	89	2	1.2	2	1.2	..	
Baidyabati	34	4	6.1	1	..	7	10.7	3	
Bally	67	9	7.0	1	0.8	..	
Purulia	49	7	7.4	1	..	1	..	3	3.2	..	
Bankura	50	9	9.4	1	1	3	3.1	1	
Bansberia†														
Baranagar	93	29	16.2	1	1	4	5	..	22	12.3	8	
Chandernagore . .	57	44	40.1	2	1	3	..	26	23.7	3	
Basirhat	40	2	2.6	2	3	3.9	..	
Berhampur	65	56	44.8	..	5	..	1	2	25	20.0	4	
Bhadreshwar . . .	35	10	14.9	4	..	1	..	5	7.4	..	
Kharagpur	77	6	4.1	3	2.0	1	
Bhatpara	143	25	9.0	..	1	..	13	..	2	..	32	11.5	13	
Budge Budge . . .	32	17	27.6	..	1	1	2	3.3	..	
Burdwan	84	29	18.0	2	..	13	8.0	..	
Calcutta†														
Champdani	41	22	27.9	3	..	6	7.6	..	
Cooch Behar†														
Darjeeling	39	18	24.0	2	..	1	..	8	10.7	..	
English Bazar . . .	37	13	18.3	1	1	9	12.7	..	
Garden Reach . . .	127	13	5.3	2	4	3	3	..	19	7.8	4	
Halisahar	42	1	1.2	1	1.2	..	
Hooghly Chinsurah .	61	99	84.4	..	1	..	4	6	1	1	24	20.5	1	
Howrah	487	167	17.8	1	5	20	34	2	136	14.5	53	
Jalpaiguri	50	20	20.8	2	2	2	..	10	10.4	..	
Kamarhati†														
Kanchrapara . . .	78	17	11.3	3	2.0	..	
Krishnagar	58	2	1.8	1	1	0.9	..	
Midnapore	45	74	85.5	2	3	3	..	20	23.1	..	
Nabadwip	73	21	15.0	12	2	17	12.1	..	
Naihati	64	5	4.1	
North Barrackpore .	37	4	5.6	
Panihati	68	1	0.8	
Shantipur	51	15	15.3	1	8	8.2	1	
Serampore	86	31	18.7	3	4	4	..	22	13.3	9	
Siliguri	46	18	20.3	1	3	2	..	11	12.4	..	
South Dum Dum . .	87	33	19.7	
South Suburban . .	129	50	20.2	2	3	2	..	12	4.8	4	
Titagarh	79	19	12.5	1	22	2	2	..	29	19.1	3	
TOTAL	2,702	892	17.2	9	8	..	82	59	72	3	483	9.3	108	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st September, 1957—*contd.*

Deaths from :—

Town	Mid-year Popn.-list. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>		<i>For w/e 31-8-1957</i>											
Asansol . . .	89	2	1.2	..
Baidyabati . . .	34	6	9.2	3	1	1	10	15.3	3
Bally . . .	67	7	5.4	1	1	3	2.3	1
Purulia . . .	49	8	8.5	1	1	..	4	4.3	..
Bankura . . .	50	19	19.8	1	..	1	..	4	4.2	..
Bansberia†													
Baranagar . . .	93	33	18.5	2	7	1	..	19	10.6	2
Chandernagore . . .	57	60	54.7	2	3	5	21	19.2	5
Basirhat . . .	40	3	3.9	3	3.9	..
Berhampur . . .	65	57	25.4	..	6	..	1	2	21	16.8	2
Bhadreshwar . . .	35	3	4.5	2	..	4	5.9	..
Kharagpur . . .	77	12	8.1	1	0.7	..
Bhatpara . . .	145	29	10.0	13	2	4	2	37	13.3	6
Budge Budge . . .	32	18	29.3	..	2	..	1	2	2	..	10	16.3	..
Burdwan . . .	84	14	8.7	1	2	..	6	3.7	..
Calcutta . . .	3,060	1,456	24.7	8	4	..	50	108	144	1	692	11.8	230
Chamedani . . .	41	12	15.2	3	1	..	7	8.9	..
Cooch Behar†													
Darjeeling . . .	39	19	25.3	4	1	7	9.3	..
English Bazar . . .	37	25	35.1	1	1	6	8.4	..
Garden Reach . . .	127	12	4.9	1	3	3	14	5.7	4
Helisagar . . .	42	4	5.0	1	1.2	..
Hoogly-Chinsurah . . .	61	86	73.3	1	3	5	1	..	18	15.3	6
Hawrah . . .	487	149	15.4	2	5	..	5	23	33	..	144	15.4	47
Jalpaiguri . . .	50	19	19.8	1	5	5.2	..
Kamarhati†													
Kanchrapara . . .	78	17	11.3	1	0.7	..
Krishnagar . . .	58
Midnapore . . .	45	27	31.2	3	1	16	18.5	..
Nabadwip . . .	73	47	33.5	11	15	10.7	3
Naihati . . .	64	6	4.9	6	2	2	..	12	9.8	2
North Barrackpore . . .	37	3	4.2	1	1	..	4	5.6	..
Panihati . . .	68	7	32	24.5	..
Shantipur . . .	51	15	15.3	7	7.1	2
Serampore . . .	86	46	27.8	4	3	2	..	24	14.5	..
Sitiguri . . .	46	21	23.7	1	1	6	6.8	..
South Dum Dum . . .	87	40	23.9	1	1	0.6	..
South Suburban . . .	129	18	7.3	3	7	..	22	8.9	..
Titagarh . . .	79	19	12.5	7	11	7.2	1
TOTAL . . .	5,762	2310	20.8	21	17	..	115	177	208	10	1190	10.7	330

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 21st September, 1957 relate to 139 towns with an estimated population of 22,013 thousands. Information about Andhra Pradesh, Assam, Bihar, Delhi, Kerala, Madhya Pradesh, Orissa, Pondicherry, Rajasthan and West Bengal could not be included. The total number of towns is 319 and their population is 42,930 thousands. Thus 44% of the total number of towns representing 51% of the total population is covered in this statement.

The number of births and deaths in these towns were 14,905 and 6,633 representing birth and death rates of 35.2 and 15.7 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by States:—

State	Current	w/c 21-9-57	Corresponding	w/c last year
	B.R.	D.R.	B.R.	D.R.
Bombay . . .	32.8	15.9	39.7	13.1
Madras . . .	37.3	18.5	39.3	16.9
Mysore . . .	25.0	15.7	28.7	9.3
Punjab . . .	44.4	10.2	43.2	10.7
Uttar Pradesh	38.6	14.4	37.5	16.3
India . . .	35.2	15.7	38.7	14.3

NEW DELHI-2 (INDIA); }
The 14th September, 1957 }

H. R. SHARMA,
for Registrar General, India.

